





FEELING GOOD IN YOUR HOME

As an innovative and independent British brand, our passion for wood, respect of nature and unrivalled flooring expertise have been helping our customers feel good since 1993.

Using the highest quality environmentally friendly timber, we design and make industry-leading wood floors for both homes and shared commercial spaces.

For 30 years, Ted Todd fine wood floors have been connecting innovation and design with nature, to redefine natural flooring in the UK and beyond. We continue to be loved by homeowners, designers and architects alike, who value the importance of making mindful choices for high-quality, sustainable products that protect our planet.

In celebration of our 30th year, we proudly opened our new flagship showroom in the prestigious New York Design Centre. Although we have been present in the United States since 2018 this is our first-ever Showroom and we are excited to see what opportunities it will bring.

We invite you to celebrate with us by exploring the comfort and warmth associated with wood, through our extensive choice of floors and wall cladding to meet your style and specification. We look forward to making you feel good in your home - or shared space - very soon.

3

CONTENTS







PROJECT 8



WAREHOUSE 32



CREATE® 52



CRAFTED TEXTURES 68



CLASSIC TONES 92



CLASSIC NATURALS 104



STRADA 116



SPECIALIST WOODS 128



SUSTAINABILITY 140



CONSIDERING EVERY DETAIL 144



FLOOR CARE 162

4



BEYOND COMPARISON

ALL YOUR WOOD FLOOR KNOW-HOW

BRING THE OUTDOORS, INDOORS

Introducing real wood floors into the home strengthens our connection with nature, adding depth, soul and visual intrigue while also reflecting the calming, restorative ambiance of the outdoors. Bring the outside, inside, with a Ted Todd floor.

SUSTAINABLE WOOD – NO EXCEPTIONS!

All our floors are made from sustainably sourced wood, whether it's FSC®-certified wood grown in well managed forests, reclaimed wood that is being re-used and repurposed or antique wood that's been around for hundreds of years. When it comes to eco-friendly flooring, there's no better choice than a Ted Todd floor.

Our products are also SVOC and VOC free, plastic-free making them completely reusable and fully recyclable.

NO NEED TO TIPTOE

Our wood floors use the highest quality timber and are pre-finished for extra protection. This makes them extremely durable and hardwearing, suitable for every home, including those with young families and pets.

EASY TO CARE FOR

Caring for your floor is easy and we have developed the best tools for the job. By using our specialist Ted Todd Floor Care Systems and a little bit of effort you will be able to keep your floor looking refreshed for years to come.

SUITABLE FOR USE WITH UNDERFLOOR HEATING

All our engineered floors are compatible with underfloor heating systems up to 27°C. Monitor and record reliable information about the environmental conditions of your hardwood flooring using our Fidbox device and app. The Fidbox is installed under your Ted Todd floor and measures the fluctuation between temperature and humidity, meaning you can enjoy underfloor heating whilst also maintaining the best atmospheric conditions to ensure longevity of your floor. Ask your retailer about a Fidbox for more information.

FIND A RETAILER

Whilst samples are a great place to start with Ted Todd, we always recommend visiting your nearest retailer to view your flooring choices on a larger scale.

This will give you a much better feeling of the overall design, colour and texture of your floor.

Importantly too, it will allow you to understand the grade of your floor. As wood is a natural material there will be natural variation in tones, knots, grains and more. This can vary from plank to plank within the same floor, so viewing at a large scale will help you understand this aspect



FIND YOUR NEAREST RETAILER ONLINE OR VISIT TEDTODD.CO.UK/FIND-A-SHOWROOM

See pages 144 onwards for more detail on living with your Ted Todd floor.













PROJECT

EMBRACE THE BEAUTY OF NATURE

This much-loved collection celebrates the natural characteristics of wood. Crafted from sustainable engineered European Oak, each design has been lightly brushed to reveal natural grain detail and bring the great outdoors, indoors.

The perfect introduction to Ted Todd, Project floors are engineered wood floor staples with a premium feel. Choose between wide planks, extra wide planks and narrow herringbone designs in high-spec nature grade. Not just limited to surfaces underfoot, all wood in this collection is also suitable for use on walls.





CALICO



This ever-popular light, warm oak is available in wide and extra wide planks as well as narrow herringbone blocks.







ALMOND

An ever-popular light, warm brown engineered oak floor for a natural wood look.

PETWORTH

A raw oak tone with a hardened oil finish and subtle sheen. The perfect choice for embracing the beauty of nature.







TATTENHALL




Choose Tattenhall for a warm, welcome-home feeling. A rich natural European Oak tone floor which is available in wide and extra wide planks, as well as narrow herringbone blocks.



CREECH

Combining light brown tones with a tight grain detail, each plank has been lightly brushed to reveal the natural grain patterns of the oak.





BOURNE

Bourne's iconic rich chocolate brown colour is lightly brushed to reveal the natural grain detail of the oak.

OLLERTON



An intense black floor that makes a very strong design statement in any home. Available in wide 190mm planks or narrow herringbone blocks.



PROJECT



WIDE/EXTRA WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190/260mm | D:14/15mm | L:up to 2.2m



NARROW HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:14mm | L:450mm



WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190mm | D:14mm | L:up to 1.9m



PORCELAIN WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190mm | D:14mm | L:up to 1.9m



CREECH WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190mm | D:14mm | L:up to 1.9m



ALABASTER WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190mm | D:14mm | L:up to 1.9m



PETWORTH WIDE/EXTRA WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190/260mm | D:14/15mm | L:up to 2.2m



PETWORTH NARROW HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:14mm | L:450mm



ALMOND WIDE/EXTRA WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190/260mm | D:14/15mm | L:up to 2.2m



ALMOND NARROW HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:14mm | L:450mm



TATTENHALL WIDE/EXTRA WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190/260mm | D:14/15mm | L:up to 2.2m



NARROW HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:14mm | L:450mm



CARAMEL WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190mm | D:14mm | L:up to 1.9m



CARAMEL NARROW HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:14mm | L:450mm



KENNET WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190mm | D:14mm | L:up to 1.9m




NARROW HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:14mm | L:450mm



BOURNE WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190mm | D:14mm | L:up to 1.9m



OLLERTON WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:190mm | D:14mm | L:up to 1.9m



OLLERTON NARROW HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:14mm | L:450mm





CONSTRUCTION

All of the floors within the Project collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 14MM

Herringbone

3mm hardwood wear layer Bonded to 100% Birch plywood. Weight: 10kg/m²

3 LAYER 15MM

Weight: 7.5kg/m²

3mm/4mm hardwood wear layer Bonded to a block board core.

> VIEW PROJECT COLLECTION ONLINE

Plank

All 14mm options can be used as wall cladding.

All 15mm options can be used as wall cladding.






TATTENHALL



KENNET





WAREHOUSE


UNDERSTATED ELEGANCE THAT WELCOMES YOU HOME

Trendsetting, modern and brilliantly practical. Showcasing the very best of FSC®-certified engineered European Oak, this collection is all about texture. You only have to run your hand over the surface of a Warehouse floor to appreciate the beauty of its undulations. We brush the wood to subtly highlight the grain detail, for a natural wood look.

Available in a range of designs, including wide and extra wide planks, narrow herringbone and chevron. Select planks are also available in 20mm options.







FLEECE

Knots, burrs and lively grain patterns: natural characteristics that only real wood can bring.



RAW COTTON



Modern, practical and packed with undulating texture and lively grain patterns. Choose from four variations of this warm, light oak floor including wide and extra wide planks as well as herringbone blocks and chevron.






SUGAR CANE



Enjoy the natural characteristics of wood with Sugar Cane, a warm engineered European Oak full of authentic knots, sap and natural colour-tone variation.

HUSK



Husk flies the flag for originality. With a mid-brown tone, dark grain details, characterful knots and an undulating surface, Husk works beautifully in both traditional and contemporary settings.







FLAX

Exuding visual impact, these warm grey planks brim with movement and undulating texture.

WAREHOUSE



WIDE/EXTRA WIDE PLANK European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:190/220mm | D:15/20mm | L:up to 2.2m



NARROW HERRINGBONE European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:450mm



WIDE PLANK European Nature Grade Oak Brushed, Undulating & Matt Lacquered W:190mm | D:15mm | L:up to 1.9m



RAW COTTON WIDE/EXTRA WIDE PLANK Brushed, Undulating & Hardened Oiled W:190/220mm | D:15/20mm | L:up to 2.2m



RAW COTTON NARROW HERRINGBONE Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:450mm



European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:540mm

CHEVRON

RAW COTTON CHEVRON Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:540mm



NARROW HERRINGBONE European Nature Grade Oak Brushed, Undulating & Matt Lacquered W:90mm | D:15mm | L:450mm



SUGAR CANE WIDE/EXTRA WIDE PLANK European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:190/220mm | D:15/20mm | L:up to 2.2m



SUGAR CANE NARROW HERRINGBONE European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:450mm



SUGAR CANE CHEVRON European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:540mm



WIDE PLANK European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:220mm | D:20mm | L:up to 2.2m



FURROW WIDE/EXTRA WIDE PLANK European Nature Grade Oak
Brushed, Undulating & Hardened Oiled
W:190/220mm | D:15/20mm | L:up to 2.2m

Brushed, Undulating & Hardened Oiled
W:90mm | D:15mm | L:450mm



FURROW NARROW HERRINGBONE



FURROW CHEVRON European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:540mm



STRAND WIDE PLANK European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:190mm | D:15mm | L:up to 1.9m



WINNOW WIDE PLANK European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:190mm | D:15mm | L:up to 1.9m



WINNOW NARROW HERRINGBONE European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:450mm





WAREHOUSE



WIDE/EXTRA WIDE PLANK European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:190/220mm | D:15/20mm | L:up to 2.2m



NARROW HERRINGBONE European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:450mm



CHEVRON European Nature Grade Oak Brushed, Undulating & Hardened Oiled W:90mm | D:15mm | L:540mm



MALTING WIDE PLANK European Nature Grade Oak Brushed, Undulating & Matt Lacquered W:190mm | D:15mm | L:up to 1.9m






CONSTRUCTION

All of the floors within the Warehouse collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 15MM

Herringbone & Chevron

4mm hardwood wear layer Bonded to 100% Birch plywood.




All 15mm options can be used as wall cladding.

2 PLY 20MM

220mm Plank

6mm hardwood wear layer Bonded to 100% Birch plywood.






3 LAYER 15MM

190mm Plank

4mm hardwood wear layer Bonded to a block board core. Wojaht: 7 5kg/m²







CREATE®

MIX AND MATCH FOR PRECISION DESIGNS

Engineered in 100% PEFC-certified oak, each Create® component has been carefully designed to work seamlessly together, allowing you to mix both colours and formats to create your very own precision designs.

Choose from 10 tones in plank, herringbone, chevron and even squares, all 15mm engineered in 100% PEFC-certified oak for superior stability. All wood in this collection is also suitable for use on walls.





CASHMERE



One of the lightest floors in Create® with a slightly cool tone, Cashmere is a bestseller. Mix and match with any other colour and design format in the Create® collection.



PAPERBACK

A modern classic with effortless style. A light engineered oak with a slightly warm undertone.





SANDBANK



With classic appeal, Sandbank is a light brown floor made from engineered European Oak. Ideal for any sized home, choose planks, herringbone, chevron and even square designs.



CREATE®



CASHMERE European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



CASHMERE HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm



CASHMERE CHEVRON European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:15mm | L:480mm



CASHMERE SQUARE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:127mm



PAPERBACK PLANK European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm



SANDBANK PLANK European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



SANDBANK HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm

JUTE HERRINGBONE

European Nature Grade Oak

Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm



SANDBANK CHEVRON European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:15mm | L:480mm

CHEVRON



SANDBANK SQUARE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:127mm



JUTE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



SATCHEL PLANK European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



SATCHEL HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm



SATCHEL SQUARE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:127mm





CREATE®



CORTADO PLANK European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



CORTADO HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm



CORTADO CHEVRON European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:15mm | L:480mm




65

CORTADO SQUARE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:127mm



SMOKE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



SMOKE HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm




CHEVRON European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:15mm | L:480mm



STONEWASH PLANK European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



STONEWASH HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm



 ${\tt STONEWASH}$ CHEVRON European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:15mm | L:480mm




FAWN PLANK European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



FAWN HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm




FAWN CHEVRON European Nature Grade Oak Brushed & Hardened Oiled W:90mm | D:15mm | L:480mm



LIQUORICE PLANK European Nature Grade Oak Brushed & Hardened Oiled W:180mm | D:15mm | L:up to 2.2m



LIQUORICE HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:508mm



LIQUORICE SQUARE European Nature Grade Oak Brushed & Hardened Oiled W:127mm | D:15mm | L:127mm

64


CONSTRUCTION


All of the floors within the Create® collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

3 PLY 15MM - 100% OAK

All formats

3mm hardwood wear layer 3 layers of Oak Weight: 11kg/m²







CRAFTED TEXTURES


INVITE RUSTIC CHARM INTO YOUR HOME

This characterful collection of European Oaks has been expertly developed using techniques that emulate a naturally aged or rustic floor. Each floor has been worked by hand, creating distressed edges and hand-planed, textured surfaces that give a raw, organic feel.


These are floors that work just as well in country homes and restoration spaces as they do in contemporary, city spaces. They are versatile enough that they can be a standout focal point of a room or can subtly stand back and give the impression that they've been there for a century. Most options are available in both plank and herringbone, and the 15mm options can even be used as wall cladding, with 3 new editions of Dunham, Marbury and Sheringham.







SHERINGHAM



A new addition to Crafted Textures, this weathered looking floor has grey-brown tones, black grained undertones, with shadows of saw marks that add extra depth and texture. Available in wide plank and narrow herringbone.

STANDEN

Standen delivers soul and warmth through smokey tones and golden character.
This exaggerated rustic floor perfectly embodies an authentically aged floor.







CARRICK

Small pin and live knots are visible beneath the shadow sawn surface of Carrick, a beautiful European Oak with smokey-grey overtones.

DUNHAM



New to this collection, this beautifully rustic floor is warm brown with black undertones, and shadows of saw marks which add extra depth and texture.






WISTON


Deep brown hues and intricately patterned texture create a strong, classic presence in any interior.

ATTINGHAM



Attingham's timeworn texture perfectly embodies the authentic character of this dark toned floor.





WARESLEY

Waresley's mid-brown tones are hazed with a subtle smokey tone, each plank coastal weathered and heavily brushed for a naturally aged bleached appearance.

SALCEY



Salcey's nature grade European Oak planks are dark toned and coastal-weathered for a rustic looking aged appearance.



CRAFTED TEXTURES



COOMBE EXTRA WIDE PLANK



EXTRA WIDE PLANK European Nature Grade Oak Shadow Sawn & Burnished Hardwax Oiled Matt
W:220mm | D:20mm | L:up to 2.2m

European Nature Grade Oak

European Nature Grade Oak

European Nature Grade Oak

European Nature Grade Oak

Distressed & Burnished Hardwax Oiled Matt

W:220mm | D:20mm | L:up to 2.2m

W:220mm | D:20mm | L:up to 2.2m

European Nature Grade Oak

European Nature Grade Oak

European Nature Grade Oak

W:220mm | Distressed & Burnished Hardwax Oiled Matt

W:220mm | D:20mm | L:up to 2.2m

W:220mm | D:20mm | L:up to 2.2m

W:20mm | D:20mm | L:up to 2.2m



EXTRA WIDE PLANK



NARROW HERRINGBONE European Nature Grade Oak



AMBERLEY PLANK Sawn & Satin Lacquered W:150mm | D:15mm | L:up to 2.2m



CARRICK EXTRA WIDE PLANK W:220mm | D:20mm | L:up to 2.2m



European Nature Grade Oak

WARESLEY EXTRA WIDE PLANK European Nature Grade Oak European Nature Grade Oak Shadow Sawn & Burnished Hardwax Oiled Matt Coastal Weathered & Burnished Hardwax Oiled Matt W:220mm | D:20mm | L:up to 2.2m



HALDON WIDE PLANK American Nature Grade Walnut Coastal Weathered & Organic Oiled W:190mm | D:15mm | L:up to 1.86m



STANDEN WIDE PLANK European Rustic Grade Oak Sawn, Burnt, Brushed & Hardened Oiled W:190mm | D:20mm | L:up to 1.90m



NETLEY EXTRA WIDE PLANK European Nature Grade Oak



NARROW HERRINGBONE European Nature Grade Oak Distressed & Burnished Hardwax Oiled Matt
W:20mm | D:20mm | L:up to 2.2m

European Nature Grade Oak

Distressed & Burnished Hardwax Oiled Matt
W:90mm | D:20mm | L:360mm



ARUNDFI WIDE PLANK European Rustic Grade Oak Sawn, Burnt, Brushed & Hardened Oiled W:190mm | D:20mm | L:up to 1.90m



NARROW HERRINGBONE

Sawn, Burnt, Brushed & Hardened Oiled W:90mm | D:20mm | L:540mm

European Rustic Grade Oak

ARUNDFI NARROW HERRINGBONE European Rustic Grade Oak Sawn, Burnt, Brushed & Hardened Oiled W:90mm | D:20mm | L:540mm




ATTINGHAM EXTRA WIDE PLANK European Nature Grade Oak
Distressed & Burnished Hardwax Oiled Matt
W:220mm | D:20mm | L:up to 2.2m

European Nature Grade Oak
Distressed & Burnished Hardwax Oiled Matt
W:90mm | D:20mm | L:360mm



ATTINGHAM NARROW HERRINGBONE



BEMBRIDGE EXTRA WIDE PLANK European Nature Grade Oak Distressed & Burnished Hardwax Oilo W:220mm | D:20mm | L:up to 2.2m



REMBRIDGE NARROW HERRINGBONE European Nature Grade Oak : Distressed & Burnished Hardwax Oiled Matt W:90mm | D:20mm | L:360mm



EXTRA WIDE PLANK European Nature Grade Oak

Shadow Sawn & Burnished Hardwax Oiled Matt

W:220mm | D:20mm | L:up to 2.2m

European Nature Grade Oak

Coastal Weathered & Burnished Hardwax

Oiled Super Matt



EXTRA WIDE PLANK W:220mm | D:20mm | L:up to 2.2m





CRAFTED TEXTURES



SHERINGHAM WIDE PLANK Sawn, Burnt, Brushed & Organic Oiled Super Matt W:190mm | D:20mm | L:up to 1.9m



MARBURY WIDE PLANK European Nature Grade Oak Sawn, Burnt, Brushed & Organic Oiled Super Matt W:190mm | D:20mm | L:up to 1.9m



SHERINGHAM NARROW HERRINGBONE Sawn, Burnt, Brushed & Organic Oiled Super Matt W:90mm | D:20mm | L:540mm


NARROW HERRINGBONE

European Nature Grade Oak Sawn, Burnt, Brushed & Organic Oiled

Super Matt W:90mm | D:20mm | L:540mm



DUNHAM WIDE PLANK European Nature Grade Oak Sawn, Burnt, Brushed & Organic Oiled Super Matt W:190mm | D:20mm | L:up to 1.9m




DUNHAM NARROW HERRINGBONE European Nature Grade Oak Sawn, Burnt, Brushed & Organic Oiled Super Matt W:90mm | D:20mm | L:540mm



VIEW CRAFTED TEXTURES COLLECTION ONLINE

MARBURY



CONSTRUCTION

All of the floors within the Crafted Textures collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 15MM

Amberley Plank

4mm hardwood wear layer Bonded to 100% Birch plywood.


Weight: 10kg/m²

All 15mm options can be used as wall cladding.

2 PLY 20MM

Plank & Herringbone


4mm/6mm hardwood wear layer Bonded to 100% Birch plywood. Weight: 14kg/m²



3 LAYER 15MM

Haldon Wide Plank

4mm hardwood wear layer Bonded to a block board core.



All 15mm options can be used as wall cladding.



CLASSIC TONES

LONG LASTING FLOORS WITH TIMELESS BEAUTY

Long lasting, traditionally sawn FSC®-certified European Oak in a variety of classic tones. This collection offers a choice of 16 colours in a wide range of finishes. Choose from engineered planks, wide planks, narrow and standard herringbone all carefully designed to offer you maximum choice for your home.









KIELDER

This versatile ash-brown toned floor, has subtle grain detail and a beautiful hardened oil finish.
Ideal for both classic or contemporary styled homes.

KEARNEY



Kearney is a rich, caramel and dark toned oak crafted into herringbone blocks to make a strong design statement. A smart, modern floor, with a brushed surface and no bevels.



CLASSIC TONES



HOLLINGTON PLANK/EXTRA WIDE PLANK European Nature Grade Oak Brushed & Matt Lacquered W:180/220mm | D:20mm | L:up to 2.2m







PAXTON EXTRA WIDE PLANK European Nature Grade Oak Fumed, Smooth & Satin Lacquered W:220mm | D:20mm | L:up to 2.2m



ASHFIELD NARROW HERRINGBONE European Nature Grade Oak Smooth & Hardened Lacquered W:70mm | D:10mm | L:490mm



THETFORD PLANK European Nature Grade Oak Brushed & Satin Lacquered W:180mm | D:20mm | L:up to 2.2m



CHISLEHURST NARROW HERRINGBONE European Nature Grade Oak Brushed & Hardened Lacquered W:70mm | D:10mm | L:490mm



PLANK/EXTRA WIDE PLANK European Nature Grade Oak Brushed & Hardened Oiled



PARKHURST HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:100mm | D:20mm | L:500mm

ALLEXTON

European Nature Grade Oak Brushed & Matt Lacquered W:180/220mm | D:20mm | L:up to 2.2m

European Nature Grade Oak Brushed & Satin Lacquered W:180mm | D:20mm | L:up to 2.2m



SHERWOOD PLANK/EXTRA WIDE PLANK European Nature Grade Oak
Brushed & Hardened Oiled
W:140-220mm | D:15/20mm | L:up to 2.2m

European Nature Grade Oak
Brushed & Hardened Oiled
W:100mm | D:20mm | L:500mm



PLANK/EXTRA WIDE PLANK PLANK/EXTRA WIDE PLANK EXTRA WIDE PLANK European Nature Grade Oak
Brushed & Pearl Lacquered
W:180/220mm | D:12/20mm | L:up to 2.2m


European Nature Grade Oak
Furned, Smooth & Hardened Oiled
W:20mm | D:20mm | L:up to 2.2m



European Nature Grade Oak Double Fumed, Dark Stained, Brushed & Hardened Oiled W:180/220mm | D:20mm | L:up to 2.2m



BEDGEBURY MADINGLEY
PLANK/EXTRA WIDE PLANK
PLANK/EXTRA WIDE PLANK European Nature Grade Oak Double Fumed, Brushed & Hardened Oiled W:180/220mm | D:20mm | L:up to 2.2m










CANNOCK CHASE





WYRE

PLANK

KEARNEY NARROW HERRINGBONE European Nature Grade Oak Brushed & Hardened Lacquered W:70mm | D:10mm | L:490mm









VIEW CLASSIC TONES COLLECTION ONLINE



CONSTRUCTION

All of the floors within the Classic Tones collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 10/12/15MM


3mm/4mm hardwood wear layer Bonded to 100% Birch plywood.



All 15mm options can be used as wall cladding.

2 PLY 20MM

4mm/6mm hardwood wear layer Bonded to 100% Birch plywood. Weight: 14kg/m²





CLASSIC NATURALS


SUN-KISSED, ORGANIC TONED FLOORS

A collection of long life floors in organic tones, characterised by one thing: unbeatable quality. With a choice between plank and herringbone blocks, all wood in this collection is FSC®-certified engineered European Oak.









KINVER EDGE



Kinver Edge is a classic sandy coloured floor with minimal knots and subtle colour variation. A beautifully sun-kissed engineered oak floor.



WENTWORTH

A natural toned floor that ages gracefully. Perfect for a home that desires a much loved, lived-in look.



CLASSIC NATURALS



PELHAM
PLANK
European Nature Grade Oak
Brushed & Matt Lacquered
W:140mm | D:15mm | L:up to 2.2m



SELBORNE
PLANK/EXTRA WIDE PLANK
European Prime Grade Oak
Light Brushed & Super Matt Lacquered
W:180/220mm | D:20mm | L:up to 2.4m



KINVER EDGE PLANK/EXTRA WIDE PLANK European Select Grade Oak Smooth & Hardened Oiled W:180/220mm | D:20mm | L:up to 2.4m



PLANK/EXTRA WIDE PLANK
European Nature Grade Oak
Smooth & Satin Lacquered
W:180-220mm | D:20mm | L:up to 2.2m



PLANK/EXTRA WIDE PLANK
European Nature Grade Oak
Brushed & Hardened Oiled
W:140-220mm | D:15/20mm | L:up to 2.2m



GOSFORD PLANK European Nature Grade Oak Smooth & Hardened Oiled W:180mm | D:20mm | L:up to 2.2m



BRAMPTON
NARROW PLANK/PLANK
/EXTRA WIDE PLANK
European Nature Grade Oak
Brushed & Hardened Oiled
W:100-220mm | D:15/20mm | L:up to 2.2m



BRAMPTON HERRINGBONE European Nature Grade Oak Brushed & Hardened Oiled W:100mm | D:20mm | L:500mm



European Nature Grade Oak Brushed & Organic Oiled W:180mm | D:12mm | L:up to 2.2m

WENTWORTH

PLANK

GLENARIFF
NARROW HERRINGBONE
European Nature Grade Oak
Brushed & Hardened Lacquered
W:70mm | D:10mm | L:490mm



ROSTREVOR
NARROW HERRINGBONE
European Nature Grade Oak
Smooth & Hardened Lacquered
W:70mm | D:10mm | L:490mm










VIEW CLASSIC NATURALS COLLECTION ONLINE

CONSTRUCTION


All of the floors within the Classic Naturals collection are engineered Oak. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 10/12/15MM


3mm/4mm hardwood wear layer Bonded to 100% Birch plywood. Wojaht: 10kg/m²



All 15mm options can be used as wall cladding.



4mm/6mm hardwood wear layer Bonded to 100% Birch plywood. Weight: 14kg/m²



115



14

STRADA

EXCEPTIONALLY DURABLE AND VERSATILE FLOORS

Perfect for high-traffic homes and shared spaces, all Strada floors have a 12 coat finish for uncompromising durability. Choose from 20mm European Oak planks or herringbone blocks, all engineered with FSC® certification for peace of mind.









SANTI


A natural light oak with a calming consistent tone and authentic appeal.



ALESSI



Practical yet beautiful; a modern taupe colour with a deeper grain detail. Chosen for its uncompromising durability and contemporary tone.



STRADA



BERNINI
PLANK

European Nature Grade Oak
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m




LUCIA
PLANK

European Nature Grade Oak
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



TORELLI
PLANK
European Nature Grade Oak
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



HERRINGBONE
European Nature Grade Oak
Brushed & Double Satin Lacquered
W:100mm | D:20mm | L:500mm

BERNINI

LUCIA

HERRINGBONE

European Nature Grade Oak Brushed & Double Satin Lacquered W:100mm | D:20mm | L:500mm



PLANK
European Nature Grade Oak
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



ALESSI HERRINGBONE European Nature Grade Oak Brushed & Double Satin Lacquered W:100mm | D:20mm | L:500mm



PLANK
European Nature Grade Oak
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



SANTI HERRINGBONE European Nature Grade Oak Brushed & Double Satin Lacquered W:100mm | D:20mm | L:500mm



TORELLI HERRINGBONE European Nature Grade Oak Brushed & Double Satin Lacquered W:100mm | D:20mm | L:500mm



RASTRELLI
PLANK

European Nature Grade Oak
Brushed & Double Satin Lacquered
W:180mm | D:20mm | L:up to 2.2m



RASTRELLI
HERRINGBONE
European Nature Grade Oak
Brushed & Double Satin Lacquered
W:100mm | D:20mm | L:500mm






VIEW STRADA COLLECTION ONLINE


CONSTRUCTION

All of the floors within the Strada collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 20MM

Plank & Herringbone







126

SPECIALIST WOODS

UNIQUE FLOORS FOR STANDOUT HOMES

Specialist wood floors celebrate the beautiful natural characteristics of these unusual species, sourced from sustainable forests from across the globe.

Choose from Siberian Larch, Douglas Fir, American Black Walnut, Tajibo, Morado and even the delicate burr features of Pippy Burr Oak.







MIMAS



Walnut is considered by many to be the finest wood in the world, prized for its colour, grain, strength and lustrous patina that develops over time. Its depth and richness make it an excellent foundation for any home.



INGLETON

Known for its rich colour, grain, strength and lustrous patina, this walnut floor makes an excellent floor choice for any home.





DARWIN



Perfect for standout homes that require durability and drama. This South American Morado is rich in both colour and variation due to its unique growing conditions, that create striking natural contrast in its grain detail.

SPECIALIST WOODS



OSTER
WIDE PLANK
Siberian Nature Grade Larch
Smooth & Unfinished
W:190mm | D:20mm | L:up to 1.90m



BLACKMUIR WIDE/EXTRA WIDE PLANK American Nature Grade Walnut Smooth & Unfinished W:190/220mm | D:20mm | L:up to 1.86m



BIRNHAM NARROW PLANK Tajibo Smooth & Satin Lacquered W:135mm | D:19mm | L:up to 1.4m

30



DELAMERE EXTRA/SUPER WIDE PLANK Douglas Nature Grade Fir Smooth & Unfinished W:220-300mm | D:20mm | L:up to 3.5m



ROCKINGHAM WIDE/EXTRA WIDE PLANK American Prime Grade Walnut Smooth & Unfinished W:190/220mm | D:20mm | L:up to 1.86m

NARROW HERRINGBONE

Tajibo Smooth & Satin Lacquered W:80mm | D:19mm | L:450mm



European Nature Grade Pippy Burr Oak

Smooth & Unfinished W:190mm | D:15mm | L:up to 1.90m

WINTERFOLD

WIDE PLANK

RIVINGTON
WIDE/EXTRA WIDE PLANK
American Nature Grade Walnut
Smooth & Burnished Hardwax Oiled Matt
W:190/220mm | D:20mm | L:up to 1.86m



DARWIN
NARROW PLANK
Morado
Smooth & Satin Lacquered
W:135mm | D:19mm | L:up to 1.4m



MIMAS
NARROW HERRINGBONE
American Nature Grade Walnut
Smooth & Unfinished
W:70mm | D:15mm | L:490mm



INGLETON
WIDE/EXTRA WIDE PLANK
American Prime Grade Walnut
Smooth & Burnished Hardwax Oiled Matt
W:190/220mm | D:20mm | L:up to 1.86m



DARWIN
NARROW HERRINGBONE
Morado
Smooth & Satin Lacquered
W:80mm | D:19mm | L:450mm






CONSTRUCTION

All of the floors within the Specialist Woods collection are engineered. Our engineered floors are made from layered sections of solid wood. Each layer runs in a different direction to ensure durability and stability, reducing the wood's natural tendency to expand and contract. This makes it the perfect choice for underfloor heating, older homes and rooms below ground level. The top layer of an engineered board is known as the wear layer and ranges from 3mm to 6mm. Wood floors can be sanded and resealed and so the thicker the wear layer, the more often you can do this over the years.

2 PLY 15MM


4mm hardwood wear layer
Bonded to 100% Birch/Eucalyptus plywood.
Waisht 10km/m²



All 15mm options can be used as wall cladding.



4mm/6mm hardwood wear layer Bonded to 100% Birch/Eucalyptus plywood. Weight: 14kg/m²





139

PUTTING SUSTAINABILITY AT THE HEART OF EVERY FLOOR

DOING THE RIGHT THING

Just because a floor is made from wood, doesn't mean it's environmentally friendly or sustainably sourced. At Ted Todd, all of our wood is sustainably sourced and the majority of our products are FSC® or PEFC-certified.

We've been FSC® compliant since 1997, long before sustainability was seen as a mainstream issue. This ensures that all wood used in our floors is from responsible and sustainably managed forests.

Unlike other brands, we'll never charge extra for FSC® or PEFC certification. They will always come as standard with a Ted Todd floor.

RE-USE AND RECLAIM

While we don't want our floors to be replaced, you can rest assured that they are fully recyclable when the time comes.

We also make floors from reclaimed and antique timber as part of our Woodworks by Ted Todd offering.

Visit **tedtodd.co.uk/woodworks** or get in touch on 01925 283 000 to find out more about our reclaimed offering.

Buy once, enjoy for a lifetime.

IT'S WHAT'S INSIDE THAT COUNTS

We know that well made floors using high quality, environmentally friendly timber are some of the best flooring choices around

A lot of claims are made justifying the use of single-use man-made options, but the reality is that wood floors like ours are much healthier for indoor environments than any plastic based alternatives.

That's because unlike man-made options, Ted Todd wood floors are VOC and SVOC free



VIEW MORE ABOUT VOC AND SVOC ONLINE





DEEP ROOTED COMMITMENT TO SUSTAINABILITY

We go above and beyond the usual environmental and sustainability standards, and have many third party accreditations. We know that these accreditations and logos can often be unfamiliar when you're choosing a floor, so we have broken them down into this handy chart. Use the chart below or ask your retailer for more information.

CERTIFICATION	FSC www.fsc.org A global organisation that guarantees that felled timber is sustainably	PEFC** PE	UKTR UK regulations that confirm timber is legally harvested	All of our floors are free from semi-volatile organic compounds	All of our floors have very low levels of volatile organic compounds
COLLECTION	sourced	certification			
CRAFTED TEXTURES					
CREATE®		/	/	/	/
SPECIALIST WOODS	/		/	/	/
WAREHOUSE	/		/	/	/
STRADA	/		/	/	/
PROJECT	/		/	/	/
CLASSIC NATURALS	/	/	/	/	/
CLASSIC TONES	/		/	/	/

DEFINITIONS

FSC® - Forest Stewardship Council

PEFC® - Programme for the Endorsement of Forest Certification

UKTR - United Kingdom Timber Regulation

SVOC - Semi-volatile Organic Compounds

VOC - Volatile Organic Compounds



CONSIDERING EVERY DETAIL

There are a number of details to consider when choosing a Ted Todd floor for your home - that's because we offer the very best in fine wood flooring and only use the highest quality specifications for our products.

As well as colour tone, attributes such as architectural details, design, grade and texture are all important factors. That's why we have included handy definitions of each to help you on your Ted Todd journey.









UNDERSTANDING YOUR FLOOR

You'll likely order a number of wood floor samples before you make your final choice. Remember, your Ted Todd retailer is on hand to help you with these more technical elements, but for now, here are some handy definitions to help you understand the key elements of your floor.






WEAR LAYER

The wear layer is a great indicator of quality in engineered boards, as this is what makes a floor long lasting. It is the section of the board that sits above the tongue and groove, and the thicker the wear layer the more times you can re-sand it over the years. All of our engineered floors have wear layers of at least 3mm, up to 6mm.


FINISH

The majority of our floors are pre-finished, saving you time and money when it comes to installation. Beware of the hidden costs associated with other wood floor manufacturers whose products require additional on-site finishing.



DEPTH

We offer floors with a minimum 10mm up to 22mm thickness. Our floors with the highest thickness deliver a great quality option that out-perform even traditional solid wood floors. Make sure you check thicknesses when choosing your floor to make sure you compare like-for-like options.




SUSTAINABLY SOURCED WOOD

Always check whether the floor you are purchasing is FSC®-certified or equivalent. Most companies charge extra for this certification, but we include it as standard because we believe it's the right thing to do.


ARCHITECTURAL DETAILS

For the perfect finishing touch we recommend using our fully comprehensive range of profiles including architraves, skirting boards, stair treads and pipe ferrules which have been designed to accompany the floors within this brochure. Just like our floors, our architectural details are natural and so their tone and grain structure will vary. Ask your Ted Todd retailer about the best architectural details for your home.




T DOOR SECTION

Used to make the transition at doorways, between interior rooms from one hard surface floor to another at equal heights.




L SECTION

Used to cover expansion space in perimeter areas such as stone, brick wall and hearths as well as floor to ceiling glass and sliding doors, may also be used against existing door thresholds.




WOOD TO CARPET REDUCING THRESHOLD

Used to finish the solid wood flooring where a slight reduction in height between flooring is required.



REDUCER DOOR SECTION

Used to make a smoother transition between the thick wood floor to a thinner surface, generally through door openings.



BULL NOSING

Used to create a finished edge on a top step, around a stairwell or a sunken living room, etc.



DOOR ARCHITRAVE

A form of interior moulding that is featured in most houses, offices and other buildings.



OAK COVER STRIP

Ideal for transition of floors of the same height. It offers a flexible, quick and easy solution to hiding expansion gaps, and creates a neat finish.



DIMINISHING STRIP

A neat and simple solution to joining floor coverings of different heights.




SCOTIA

Used to cover expansion space, where skirting is in place and not being removed prior to installation of flooring.




PIPE FERRULE

Pipe cover to conceal the expansion space created around radiator pipes.



OAK SKIRTING BOARD

Protects the walls from accidental knocks, as well as wear and tear from furniture and soiling and scuffs from cleaning apparatus.




STAIR TREADS & RISERS

Ted Todd tread and riser sets are made with prefinished planks. These planks are made in the same way as your floor. The nosing element is made out of solid hardwood and is available in a selection of designs. Each tread is supplied with the nosing attached as a single element.

48


DESIGN

Ted Todd floors are created in a variety of designs, including classic planks (in both wide and super wide sizes) and popular parquet formats such as herringbone, chevron and squares. While plank formats remain an enduring and ever-popular choice, herringbone and chevron wooden floors have become synonymous with trendy interior spaces in recent years – and their popularity only continues to increase.




PLANKS

We have plank widths to suit every home. Our narrow planks are **80mm**, increasing to a more traditional width of **140mm** to **180mm**. Our wide planks are **190mm**, our extra wide planks are **220mm** to **260mm**, and our super wide planks reach a staggering **300mm** in width.




CHEVRON

Chevrons are angled at 45 or 33 degrees for a strong statement look and unlike herringbone they meet end to end, rather than end to side.




CLADDING

Our stunning woods don't just look good on the floor. For a truly unique look, our 15mm floors can be used on walls, ceilings, doors or furniture.



HERRINGBONE


Made up of individual elements arranged into a variety of designs, herringbone patterns have a strong design impact and works well in all interior styles. We offer both narrow and standard herringbone widths. Please see page 152 for more parquet patterns.



SQUARES

Our squares are an unusual format for a wood floor. Mix with planks, chevron or herringbone or lay on their own for a statement look. See our Create® squares on page 64.








PARQUET PATTERNS


Parquet is a sophisticated and elegant design that has stood the test of time. This versatile yet enduring pattern works equally well in classic and modern homes. Traditional herringbone wood flooring is known and loved for its distinctive pattern and uniformity created by its characteristic V-shaped weave. It is one of the most popular choices for the home.

The symmetry of parquet means different laying patterns offer an extensive range of possibilities to fit the style, purpose and size of a room. Here are some of our most popular laying patterns.




SINGLE HERRINGBONE

Herringbone is a pattern design with a characteristic V-shaped weave. By using simple rectangular blocks to create a repeated arrangement, you can craft a floor that is both inspiring and authentic.




BLOCK BASKETWEAVE

A classic basket weave herringbone pattern uses a ratio of 4 by 4 blocks laid together in a square. These squares are then laid in alternating directions – either horizontally or vertically. Block basketweave can be laid square to the room or diagonally. You can also add a square for a more traditional basket weave pattern.



BRICK BOND

Brick bond take the blocks and runs them parallel to each other but overlaps them by half the length to create the brickwork pattern traditionally associated with masonry.



STRAIGHT LAY / LADDER PATTERN

The classic, simple design involves laying herringbone blocks completely side-byside to create a brick like effect across the entire floor

Adding horizontal blocks cuts though the straight lay formation to create the 'rungs' of the ladder found in the pattern.

SETTING THE GRADE

We offer 4 grades of wood: prime, select, nature, and rustic - these vary in size and amount of knots, sapwood and grain. Understanding our grading system is key to appreciating the natural characteristics that will contribute to the overall look of your floor. Due to the natural variation in wood, each plank and block will be unique even within its designated grade.



PRIME

The cleanest grade that gives the most uniform appearance. It allows for a small number of knots, but has minimal amounts of sapwood and the smallest amount of tonal variation.

SELECT

A mix of prime and cleaner nature grade boards. Most planks will be sap free, with some irregular grain and a limited number of knots allowed.

NATURE

Some of the boards will include sapwood and heartwood which has a wider tonal variation. Irregular grain, medium knots, and complementary filler will be used.

RUSTIC

A heavier grade than nature which allows a virtually limitless size and number of knots, heartwood and tonal variation throughout the boards. There is no minimum amount of sapwood or filler.





TEXTURES

Part of the appeal of having a wooden floor is the authentic texture it brings to your home. All Ted Todd solid and engineered wood floors fall within eight main categories of textures, each specially developed to enhance the natural characteristics of wood.

As with finishes, it's important to understand the characteristics of each of our textures, to ensure your choice of floor fits perfectly with your vision for your home.



BRUSHED

To reveal the timber's natural grain, we remove soft summer growth using our clever brushing technique.



COASTAL WEATHERED

Replicating a weather-beaten texture, our sand blasted floors have an authentic, reclaimed appearance.



SHADOW SAWN

Using innovative techniques, we create saw marks at random across the width of the board for an on-trend look.



SAWN

Band saw texture running at a 90-degree angle along the face of the board.



SMOOTH

Carefully sanded to achieve a sleek, uniform look for that contemporary gallery-style finish.



UNDULATING

By sanding the wood's natural undulations, we work with the grain across the floor for a truly organic feel.



SKIP SAWN

Inspired by the natural wear and tear of wood, we make both shallow and deep saw marks across open areas of the board.



DISTRESSED

A combination of broken edges, indentations, hand planing a random naturally worn texture.

UNDERFLOOR HEATING

Ted Todd floors are constructed from 100% natural wood, so it is important to understand how best to look after your floor when installing it over underfloor heating.

FIDBOX MONITOR

A Fidbox is a battery powered temperature and humidity measuring device that is installed beneath a wood floor. The Fidbox is fitted by the installer. You will be able to monitor the Fidbox through an app on your smart device.

Monitor and record reliable information about the environmental conditions of your hardwood flooring. The saved data can be wirelessly read at any time from the Fidbox via the app without having to remove any of the flooring. We recommend installing a Fidbox into every room that your floor is being installed (depending on the size of the room), or within every 50m² of an area laid.

SET UP

Always run your underfloor heating before you install your floor. Build the temperature up to your desired room temperature over a week and check that there are no hot spots in the screed. This will also help to expel any excess moisture in your screed. We then recommend that you switch off your underfloor heating system 2-3 days before installation.

FLOOR PROBE

A Wall Mounted Thermostat (WMT) should be installed in each room, with a wire 'floor probe' installed from the back of the WMT directly onto the underfloor heating system. Without this it's impossible to control the surface heat generated by the underfloor heating. If set up correctly, this will act as a brake on temperatures above 27°C.

MAXIMUM 27°C

The maximum floor temperature should never exceed 27°C.

We strongly recommend that you receive written confirmation from your underfloor heating provider that your system will not exceed 27°C in any location.

COVERING UP

It is also important to note that covering your floor with rugs will create hot spots under the rug, limiting heat to the rest of your room. You will either need to include this as part of the underfloor heating design or invest in a low TOG value rug (2.5 tog or under) that lets the heat flow through



VIEW MORE ABOUT UNDERFLOOR HEATING ONLINE





DELIVERY OF YOUR FLOOR

Fantastic, you've chosen the perfect Ted Todd floor for your home. What's next?

We have listed some top tips for a smooth delivery once you have finalised your purchase through your chosen retailer.

DRY STORE

It sounds simple, but please organise a dry indoor area ready to store your floor and ensure that the building that you are storing your floor in is enclosed. A hallway or living room is perfect.

ACCLIMATISE

It's a bit of a misconception that wood floors need to acclimatise for weeks. We recommend that our floors are acclimatised in their packs for 2 to 3 days in the room that they are to be installed.

If you are installing your floor over underfloor heating, please allow 5 days for acclimatisation.

HOME CONDITIONS

Ensure that your home is maintained at normal living conditions at a temperature of 15 to 21°C and a humidity level of 45 to 65°C.

HEATING IN USE

Permanent heating or air conditioning systems should be operating for at least 7 days preceding installation to promote proper acclimatisation. See page 158 for details on underfloor heating.

CHECK YOUR FLOOR

While we recommend that you do not take all of the flooring out of the packs until you are ready to install your floor, it is still important to check that you are happy with your floor before installation. To do this, check one or two packs of the flooring upon delivery, and once you are happy you should then wrap the flooring up again in the same packaging. Remember, wood is a natural product so some tonal and grain variation should be expected.

OUR WARRANTY

We have always believed in making floors that stand the test of time.

We make floors that last, and we are happy to guarantee that this is the case.

Now, when you choose a Ted Todd Fine Wood Floor, you not only experience excellent customer service and the very best wood flooring, but also enjoy the peace of mind that comes with our newly extended 30-year warranty.

To validate your warranty, you will need to have your floor installed by a qualified installer, use Ted Todd installation products such as our adhesives, and maintain your floor using one of our Floor Care Systems.



Full details can be found here: tedtodd.co.uk/ted-todd-warranty

FLOOR CARE SYSTEMS

MAINTAINING YOUR FLOOR IS EFFORTLESS


Our Floor Care Systems have been expertly developed to ensure you get the most longevity from your floor, with the least effort. Each Floor Care System is based on your floor's finish and with a little bit of effort, your floor will appreciate the care throughout the years.

We have added our Floor Care System icon to each of our swatches to make it easy to see which system you require. If you are still unsure as to which Floor Care System is right for your Ted Todd floor, please ask your retailer or call us on 01925 283 000.

1 Care system 1 2 Care system 2 3 Care system 3

Care system 4





CARE SYSTEM 1

FOR LACQUER BASED FINISHES:

- Lacquers
- Hardened Oils
- Oilwood Traffic
- Naked Skin Lacquers
- UV Oils
- Fire Proof Lacquers
- Anti Slip Lacquers

CARE SYSTEM 1 INCLUDES:

- 1 x 1ltr Floor Care Easy Clean for regular cleaning of your floor
- 1 x 1ltr Floor Care Polish to protect and revive your floor
- 1 x maintenance mop head with high quality microfibre mop pad, (note mop handle is not included)
- 1 x pack of protective pads

FREQUENCY	PROCESS		PRODUCT
After installation	Vacuum	Clean	Floor Care Easy Clean
and before handover		Clean - white floors	Floor Care Easy Clean
Weekly, or as required	Clean		Floor Care Easy Clean
	Clean - white floors		Floor Care Easy Clean
As required	Protect		Floor Care Polish
	Protect - white floors		Floor Care Polish White
Bi-Yearly or as required	Protect		Intensive Polish
	Protect - white floors		Intensive Polish

CARE SYSTEM 3

For white floors use our white care and maintenance products available on our Floor Care Store – these specialist products are designed solely for white floors. For white floors with lacquer based finishes use Care System 3. These include: Cashmere, Calico, Bernini and Fleece.



CARE SYSTEM 2

FOR OIL BASED FINISHES:

- Hardwax Oils
- Natural Oils
- Restoration Oils
- Organic Oils

TED TODD FLOOR CARE KIT MATURAL ORIED RICORS ONE POTENZ ONE POT



CARE SYSTEM 2 INCLUDES:

- 1 x 1ltr Soft Clean for regular cleaning
- 1 x 1ltr Intensive Clean to give your floor a deep clean
- 1 x maintenance mop head with high quality microfibre mop pad (note mop handle is not included)
- 1 x pack of protective pads

We also supply Oil based finishes to replenish your floor and Hardwax Oils & Oils for when you wish to recoat them.

FREQUENCY	PROCESS		PRODUCT
After installation and	Vacuum	Clean	Floor Care Soft Clean
before handover		Clean - white floors	Floor Care Soft Clean White
Every 15-30 days,	Clean		Floor Care Soft Clean
or as required	Clean - white floors		Floor Care Soft Clean White
Every 30-60 days	Deep Clean		Floor Care Intensive Clean
	Deep Clean - white floors		Floor Care Intensive Clean
As required	Protect / Replenish		Floor Care Oil Replenish
	Protect / Replenish - white floors		Floor Care Oil Replenish

CARE SYSTEM 4

For white floors we recommend you use our white care and maintenance products available on our Floor Care Store – these specialist products are designed solely for white floors. **For white floors with oil based finishes use Care System 4. This includes: Coombe.**

WHY USE TED TODD FLOOR CARE SYSTEMS?

To ensure your floor's longevity, we don't recommend using any other branded cleaning products on your Ted Todd floor. Most branded floor cleaners are solvent or bleached based and will damage your floor, leading to discolouration.

Do not steam clean your floor. The hot temperature of the steam will damage the finish and it will no longer protect the wood underneath it.

You can purchase the right floor care system for your floor online or from your closest retailer.



VIEW MORE ABOUT OUR FLOOR CARE SYSTEMS ONLINE

64


EVERYDAY PROTECTION

We find that often, different people have very different ideas as to how they want to live with their floor. Some of our customers are happy for their floor to have a natural lived-in look, whereas others want it to look as pristine as possible.

Either way, we recommend a few sensible things to keep your floor looking great.



Use protective pads to avoid sharp objects damaging your floors – chair and table legs can be sharp, so please protect these using felt pads. (Fig.1)







A wood floor is made of natural materials, and part of its beauty is that it will age, but by using the right floor care your floor will age gracefully. (Fig.3)



We are sure you already know this, but a good entrance mat will help to reduce damage from any small stones or dirt brought in from outside. (Fig.2)







Rooms that get direct sunlight may need blinds or screens to protect them. Because all Ted Todd floors are made from real wood, it is totally normal to experience some colour shade variation over time. This is caused by a process called **oxidation**, whereby the tannins in the wood naturally react with oxygen to create some shade change.

Oak is a great choice for limiting pigmentation change, and we would particularly recommend a Ted Todd engineered oak floor for its longevity in rooms exposed to direct sunlight.

Blinds would also help to provide some climate control particularly in sunny rooms, such as conservatories or sun rooms, as we recommend that the floor **temperature doesn't exceed 27°C** to ensure longevity of a real wooden floor.




We also highly recommend using a **Ted Todd Floor Care System** (page 162-167) for your floor, no matter the room.



Our Ted Todd floors are more than durable enough for kitchens and bathrooms, just be sure to react to any water spillages quickly and prevent any excess moisture getting to your floor.

Make sure the bathroom is well ventilated.





TED TODD FEATURE

We would love to celebrate your home or project, share your experience with us on Instagram and we'll feature you on our feed **@tedtoddfloors**.

Share your renovation project by tagging us on Instagram #tedtodd

























8













IMAGE CREDITS

As always, a big thank you to those featured in our brochure.

PROJECT

Calico Wide Plank - Nina Ullrich and Jamie Nessim Photography

Petworth Wide Plank - Blagden Property & SquareFoot Media

Tattenhall Narrow Herringbone - PMC Flooring, as featured in George Clarke's Old House New home

Tattenhall Narrow Herringbone - Park Designed

Kinsley Wide Plank - Bethell Projects

WAREHOUSE

Cover/38/39/160

Furrow Narrow Herringbone - Belmont Homes

4/33/38/39

Raw Cotton Chevron - @_smithhome

4/5/6/36/37/163

Furrow Narrow Herringbone - Blagden Property & SquareFoot Media

Fleece Wide Plank - Joel McDermott Photography

Furrow Wide Plank & Narrow Herringbone - Anne-Marie Leigh & Nick Smith

Sugar Cane Narrow Herringbone - @house.fiftyfive

44/168

Husk Wide Plank - Bethell Projects

Husk Narrow Herringbone - Em Gurner & Anna Yanovski Photography

Husk Narrow Herringbone - Blagden Property & SquareFoot Media

Fleece Narrow Herringbone - @JustynaWilk

Raw Cotton Narrow Herringbone - @kandt_interiors & @atcflooring

Furrow Wide Plank - @hillcrestoflymington

CREATE®

4/53/67

Smoke Chevron - TradePhotographer and PVA Developments

Cashmere Chevron - Goulden & Sons

Paperback Herringbone - HAS Studio & Hayley Bray Photography

Sandbank Herringbone - Spitfire Homes & PMC Flooring

Liquorice Herringbone - @NatalieHammond

Cashmere Herringbone - @home_by_the_cloud

CRAFTED TEXTURES

Standen Narrow Herringbone - Ash Rowe - @our_greenhouse_reno

Arundel Narrow Herringbone - Mor Interiors - @morcornwall

Carrick Extra Wide Plank - Hotel Endsleigh

CLASSIC TONES

Kielder Herringbone - Matt Clayton Photography

CLASSIC NATURALS

Brampton Herringbone - @seriorachel

STRADA

120-123/170

Santi Herringbone - Agnese Sanvito

124/125/169

Alessi Plank - Beaufort Interiors Ltd - @beaufort_interiors

SPECIALIST WOODS

Mimas Narrow Herringbone - First Impressions Kitchens

Darwin Narrow Herringbone - The Office Group

Neckar Herringbone, Unfinished Oaks - The Secret Drawer



VISIT US ACROSS THE UK

VISIT OUR TED TODD DESIGN CENTRES

Browse our floors on a large scale at our Design Centres:

Our Cheshire Design Centre

18 Chesford Grange, Woolston, Warrington, Cheshire, WA1 4RQ 01925 283 000 Open 6 days a week

Our London Design Centre

79 Margaret Street, Fitzrovia, London, W1W 8TA 020 7495 6706 Open 6 days a week

Our New York Showroom

Suite 408, Fourth Floor, New York Design Centre, 200 Lexington Ave, NY 10016 212 597 2693

Refer to our website for opening times.

tedtodd.co.uk @tedtoddfloors

VISIT ONE OF OUR RETAILERS

We work with a network of retailers throughout the UK and Ireland who can supply and install your floor. Many of our retailers have full Ted Todd showrooms, which means you can see many of our collections on display. Find the perfect Ted Todd floor for your home by taking advantage of their expert knowledge and service.

To find your nearest retailer, visit: tedtodd.co.uk/find-a-showroom



FIND YOUR NEAREST RETAILER ONLINE













Keep me, or recycle me.

